



Campagnolo®



1996 Technical Specifications

HEADSETS




model	A	B	C	D	E
<i>Record</i>	32	26.4	30.2	26	15.1
<i>Chorus</i>	32	26.4	30.2	26	15.1
<i>Athena</i>	32	26.4	30.2	26	15.6
<i>Veloce</i>	32	26.4	30.2	26	15.6
<i>Mirage</i>	32	26.4	30.2	26	15.6

BOTTOM BRACKETS


Record, Chorus

ITALIAN



Tightening torque: 70 N.m - 51,66 lb.ft

ENGLISH




Tightening torque: 70 N.m - 51,66 lb.ft

BOTTOM BRACKETS


Athena, Racing T

ENGLISH




Campagnolo tool: 7130036
Tightening torque: 70 N.m - 51,66 lb.ft

ITALIAN




Campagnolo tool: 7130036
Tightening torque: 70 N.m - 51,66 lb.ft

ENGLISH



Campagnolo tool: 7130036
Tightening torque: 70 N.m - 51,66 lb.ft

ITALIAN




Campagnolo tool: 7130036
Tightening torque: 70 N.m - 51,66 lb.ft

BOTTOM BRACKETS


Veloce, Mirage

ENGLISH




Campagnolo tool: 1134180
Tightening torque: 70 N.m - 51,66 lb.ft

ITALIAN




Campagnolo tool: 1134180
Tightening torque: 70 N.m - 51,66 lb.ft

ENGLISH



Campagnolo tool: 1134180
Tightening torque: 70 N.m - 51,66 lb.ft

ITALIAN




Campagnolo tool: 1134180
Tightening torque: 70 N.m - 51,66 lb.ft

CRANK SETS

*Record, Chorus, Athena, Veloce,
Mirage, Avanti*


Allen key 8 mm
Tightening torque:
32÷38 N.m - 23,6÷28 lb.ft

Allen key 5mm
Tightening torque:
6 N.m. / 4.4 lb.ft.



CRANK SETS

Racing T, Veloce T, Mirage T



<i>model</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	111mm Axle
<i>Racing T</i>	65.5	59	35.5	45	134	
<i>Veloce T</i>	65.5	59	35.5	45	134	
<i>Mirage T</i>	65.5	59	35.5	45.5	134	

<i>model</i>	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>	<i>E</i>	115mm Axle
<i>Racing T</i>	67.75	61.25	37.75	47.25	134	
<i>Veloce T</i>	67.75	61.25	37.75	47.25	134	
<i>Mirage T</i>	67.75	61.25	37.75	47.25	134	



FRONT DERAILLEURS

Braze on

Record, Chorus, Veloce Avanti


5mm Allen key
Torque spec: 5N.m. / 3.6 lb.ft

5mm Allen key
Torque spec: 7 N.m. / 5.1lb,ft



FRONT DERAILLEUR

Clamp on





model	size available
<i>Record</i>	28.6, 32, 35mm
<i>Chorus</i>	28.6, 32, 35mm
<i>Veloce</i>	28.6, 32, 35mm
<i>Mirage</i>	28.6, 32, 35mm
<i>Avanti</i>	28.6

FRONT DERAILLEUR


Braze on, Triple

Racing T, Veloce T, Avanti T



FRONT DERAILLER


Clamp on, Triple



model	size available
<i>Racing T</i>	28.6, 32, 35mm
<i>Veloce T</i>	28.6, 32, 35mm
<i>Avanti T</i>	28.6mm

REAR DERAILLEURS

Allen key 5 mm
Tightening torque:
15 N. m - 11,07 lb.ft




Allen key 5 mm
Tightening torque:
6N. m - 4,43 lb.ft

model	max cog	capacity
<i>Record</i>	26t	26t
<i>Chorus</i>	26t	26t
<i>Athena</i>	26t	26t
<i>Veloce</i>	28t	26t
<i>Mirage</i>	28t	26t
<i>Avanti</i>	28t	26t

REAR DERAILLEURS

Triple


Allen key 5 mm
Tightening torque:
15 N. m - 11,07 lb.ft



Allen key 5 mm
Tightening torque:
6N. m - 4,43 lb.ft

model	max cog	capacity
<i>Racing T</i>	28t	37t
<i>Veloce T</i>	28t	37t
<i>Mirage T</i>	28t	37t
<i>Avanti T</i>	28t	37t


FRONT HUBS



model	A	B	C	D	E
<i>Record</i>	100	65	9	2.4	38.5
<i>Chorus</i>	100	65	9	2.4	38.5
<i>Athena</i>	100	65	9	2.6	38.5
<i>Veloce</i>	100	65	9	2.6	38.5
<i>Mirage</i>	100	64	9	2.7	40
<i>Avanti</i>	100	64	9	2.7	40


REAR HUBS

*Record, Chorus, Athena
Veloce, Mirage, Avanti*




ERGOPOWER

*Record, Chorus, Athena,
Veloce, Mirage, Avanti*



BRAKE LEVERS

Record, Avanti



BRAKES

Record, Chorus, Athena, Veloce, Mirage, Avanti

