



CAMPAGNOLO S.R.L.

Via della Chimica, 4 · 36100 Vicenza · ITALY
Phone: +39-444-225500
Fax: +39-444-225400
Website: <http://www.campagnolo.com>
E-mail: campagnolo@campagnolo.com

CAMPAGNOLO GMBH

Schusterinsel 15
51379 Leverkusen · GERMANY
Phone: +49-2171-72430
Fax: +49-2171-724315

CAMPAGNOLO FRANCE SARL

B.P. 148 · 42163 Andrezieux
Boutheon Cedex · FRANCE
Phone: +33-477-556305
Fax: +33-477-556345

CAMPAGNOLO IBERICA S.L.

Pintor Jesus Apellaniz, 17
01008 Vitoria · SPAIN
Phone: +34-(9)-45-222504
Fax: +34-(9)-45-244007

CAMPAGNOLO USA INC.

5451H. Av. Encinas · Carlsbad
CA 92008 · U.S.A.
Phone: +1-760-9310106
Fax: +1-760-9310991

CAMPAGNOLO LATINO AMERICANA CML. LTDA.

Rua Monte Alegre 523 Conj. 51 · Perdizes
São Paulo/SP · CEP: 05014-000 · BRASIL
Phone: 55-11-629010 · Fax: 55-11-629010

CAMPAGNOLO ASIA TAIWAN

3F-1, No. 1 Wo-Lung Street
Taipei · TAIWAN R.O.C.
Phone: +886-2-3778059
Fax: +886-2-3778062

AGENCIES

BENELUX:

I.C.C.
P.O. Box 73 · 4527 ZH Aardenburg
NEDERLAND
Phone: +31-117-492820
Fax: +31-117-492835

UNITED KINGDOM:

SELECT CYCLE COMPONENTS
The Old Barn · Chapel Lane · Costock
Leicestershire · LE12 6UY · ENGLAND
Phone: +44-1509-854046
Fax: +44-1509-854056

SWEDEN - NORWAY - FINLAND:

ULLBERG & CO AB
Vikdalsgränd 10 A. S-131 40 Nacka, SWEDEN
Phone: +46-8-6011840
Fax: +46-8-7183271

SERVICE AND TECHNICAL INFORMATION:

CENTRAL (ITALY)

Phone: +39-444-225600

GERMANY

Phone: +49-2171-72430

U.S.A.

Phone: +1-760-9310106

Campagnolo

PRO-FIT
pedals

Technology
and
emotion

Campagnolo

COMPACT, LIGHT, INNOVATIVE:

PRO-FIT PEDALS
REPRESENT CAMPAGNOLO'S
MOST RECENT SUCCESS
IN PRODUCT DESIGN.

PRO-FIT: a high-tech, ergonomic pedal with an advanced design. Thanks to its extraordinary features, the overall reliability and performance standards of modern bicycle take a major leap forward. Size and weight are the two prominent advanced features of the new pedal: in spite of using conventionally sized shoe cleats, Pro-Fit pedals are compact and very light (266g a pair for the Record version) providing a far greater cornering clearance.



The Champion's choice

for their LIGHTNESS


Pro-Fit: a new high-tech pedal concept leading to considerable overall weight reductions of the bicycle.

for their SAFETY

Pro-Fit: a pedal concept, which was specifically designed to enhance safety in all possible riding situations.

for their DURABILITY

Pro-Fit: a pedal conceived to last longer and to offer prolonged resistance to all types of stress.



CAMPAGNOLO PRO-FIT RECORD

The new Record Pro-Fit pedals are the lightest pedals in the range: the weight of a pair of pedals has been reduced by 164 grams, in comparison to the model of a 1997 Record group. The amazingly light weight of these pedals is largely due to the use of titanium pedal axles.



CAMPAGNOLO PRO-FIT CHORUS

Chorus Pro-Fit pedals have steel axles with adjustable cup and cone bearings and aluminum cartridge shells. The steel axle makes the pedal extremely rigid and allows for a more efficient transmission of the rider's power-output, as well as resulting in greater durability of the bearing races. Chorus Pro-Fit pedals are 106 grams lighter than the 1997 Chorus model.



CAMPAGNOLO PRO-FIT ATHENA

The Athena Pro-Fit pedal offers the special feature of combining a steel axle with a set of two radial sealed cartridge bearings, thus providing a more efficient transmission of the rider's effort and greater overall durability of the pedal. As with all Pro-Fit pedals, also the Athena model has been designed for the use of standard tools for pedal assembly and maintenance. Athena Pro-Fit pedals are 91 grams lighter than a pair of 1997 Athena pedals!



FEATURES THAT WIN

Low profile.




The pedal height has been kept to a minimum (10.5mm from the center of the axle to the platform surface) positioning the foot closer to the axle, thus favoring an even and "circular" pedaling action.

A light and indestructible axle.

Due to extremely tight manufacturing tolerances, Pro-Fit pedal axles feature minimal play for the additional benefit of unrivaled durability. The Pro-Fit Record pedal contains a titanium axle and a series of three sealed radial bearings. The Chorus version features a steel axle with adjustable cup and cone bearings whereas, the Athena pedal has a steel axle with two sealed radial bearings.

Safety tabs.

The pedal platform features two slightly inclined tabs to avoid dangerous unintentional disengagement of the cleat during lateral movements of the foot.



Advanced cleat-engagement & release system.

Minimal effort is required to engage the cleat into the pedal and, most of all, it remains consistent and is totally independent from the selected release tension. Release tension can be varied by an easily accessible adjuster bolt located on the outer side of the pedal body. A display on the rear of the pedal indicates the tension setting of the retaining spring.

Compatible with most any cycling shoe on the market.

Pedal cleats are available in two versions - with or without play - and have a standard three bolt fixing pattern. Pro-Fit pedals can therefore be used with the vast majority of cycling shoes on the market.

Ample foot Support.

Careful studies in ergonomics have led to a platform configuration with four evenly-distributed support points providing superb comfort even on very long rides. The ergonomically designed "inert" position of the pedal to the crankarm simplifies immediate entry and engagement of the rider's foot.



**164 GRAMS LIGHTER
FOR A PAIR
OF RECORD PEDALS**

Diagram comparing the weight of the Pro-Fit Record pedals to the 1997 Record version.

